



# EZ4005 Ammonium Analyser

Številka izdelka: EZ4005.XXXXXXXX

EUR Cena: Kontakt

## Online automatic titration of Ammonium in water

EZ4000 Series Analysers are single-parameter titrators that achieve excellent precision and accuracy. Depending on the parameter of interest, the measuring range and the water matrix the EZ4000 Series may use either potentiometry i.e. acid-base, redox or precipitation titration, where the endpoint is determined by a change in a specific variable, or photocolorimetry, where colour change is used to determine the endpoint of the titration. The high precision dispenser for addition, robust peristaltic pumps for sampling and drain, and carefully designed liquid pathways all add up to the highest performance for industrial and environmental analysis needs.

#### Results you can rely on

Smart automatic features for validation, priming and cleaning are embedded in the controller software and contribute to analytical performance, maximised uptime and negligible operator invervention. Sample lines and analysis vessel are cleaned with demineralised water to eliminate cross contamination between samples. Electronic and wet-chemical part of the analyser are strictly separated. A transparent door allows for instant visual inspection of the wet part.

### Flexibility that meets your needs

EZ Series Ammonium Analysers come in an attractive, ergonomic mainframe with a compact footprint. All hardware is controlled by the integrated industrial panel PC. The modular build allows for the analyser to match your application and operational needs.

- The standard measuring range can be narrowed by a different calibration range or extended via internal dilution options.
- Analogue and digital output options
- Multiple stream analysis for up to 8 sample streams

There are many additional options available. Please contact Hach for more details.

## **Specifikacije**

Alarm: 1 x malfunctioning, 4 x user-configurable, max. 24 VDC/0.5 A, potential free contacts

Analogni izhodi: Active 4 - 20 mA max. 500 Ohm load, standard 1, max. 8 (option)

Certificiranje: CE compliant / UL certified

Demineralised water: For rinsing / dilution

Digital outputs: Optional: Modbus (TCP/IP, RS485)

Dimenzija (v x š x g): 690 mm x 465 mm x 330 mm

Earth connection: Dry and clean earth pole with low impedance (< 1 Ohm) using an earth cable of > 2.5 mm<sup>2</sup>

Garancija: 24 mesecev

Instrument air: Dry and oil free according to ISA-S7.0.01-1996 quality standard for instrument air

Interference: Soaps, oily matter, suspended solids or precipitates may coat the glass electrode and cause a

sluggish response. Allow additional time between titrant additions to let the electrode come to equilibrium or clean the electrodes occasionally. Alkaline compounds may interfere with the

titration

Kakovost vzorca: Maximum particle size 100 μm, < 0.1 g/L; Turbidity < 50 NTU

Kiveta za vzorec: 10 - 15 minutes

Material: Hinged part: Thermoform ABS, door: PMMA

Wall section: Galvanised steel, powder coated

Meja zaznavanja:  $\leq 10 \text{ mg/L}$ 

Merilna metoda: Acid-base titration with sulphuric acid, conform with standard method APHA 4500-NH3

Merilno območje: 100 - 5000 mg/L NH<sub>4</sub>

Optional:

10 - 500 mg/L NH

25 - 1250 mg/L NH<sub>4</sub>

50 - 2500 mg/L NH

Moč: 100 - 240 VAC, 50/60 Hz

Max. power consumption: 120 VA

Model: EZ4005

Način premora: 100 - 240 VAC, 50/60 Hz

Odvod: Atmospheric pressure, vented, min. Ø 32 mm

Parameter: Ammonium

Precision: Better than 2% full scale range for standard test solutions

Pretok vzorca: 100 - 300 mL/min

Razred zaščite: Protection class: Analyser cabinet: IP44 / Panel PC: IP65

Reagent Requirements: Keep between 10 - 30 °C

Št. vzorca: 1, 2, 4 or 8

Temperatura okolja: 10 - 30 °C ±4 °C deviation at 5 - 95% relative humidity (non-condensing)

Temperatura vzorca: 10 - 30 °C Teža: 25 kg

Umeritev: N.A.

Validation: Automatic; frequency freely programmable

Vsebina paketa: EZ4005 Ammonium Analyser, Instruction Manual, 1 x Double Bit Door Key, 1 x Mounting

Brackets, 1 x pH Electrode, Routine S7 Connection,

1 x empty 5L Reagent Container with Fittings (for H<sub>2</sub>SO<sub>4</sub> Solution) and 1 x empty 10L Reagent

Container with Fittings (for NaOH Solution)

Vzorec: tlak: By external overflow vessel

EZ4005 Ammonium Analyser, Instruction Manual, $1 \times 1$ Double Bit Door Key, $1 \times 1$ Mounting Brackets, $1 \times 1$ PH Electrode, Routine S7 Connection, $1 \times 1$ Reagent Container with Fittings (for $1 \times 1$ Ph Solution) and $1 \times 1$ Reagent Container with Fittings (for NaOH Solution)
Product details pdf footer